#### www.soapqueen.eu

# SAFETY DATA SHEET BERGAMOT OIL FCF/BPC (NI)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Essential oil Bergamot (FCF) (nature identical) - Etherische olie Bergamot (FCF) (nature identical)

Product number 30239 - EO033

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Concentrated material for manufacturing purposes only.

### 1.3. Details of the supplier of the safety data sheet

SUPPLIER SoapQueen vof

Veilingdreef 20

4614 RX Bergen op Zoom

Nederland

CONTACT PERSON Regulatory Manager (Aanwezige leidinggevende)

1.4. Emergency telephone number

EMERGENCY TELEPHONE +31 (0)164 254900 - Office Hours: 09:00 - 17:00 (weekdays only)

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture Classification

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Classification (67/548/EEC or Xn; R65. Xi; R38. N; R50/53. R10, R43

1999/45/EC)

### 2.2. Label elements

Pictogram









Signal word

Danger

Hazard statements H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing vapour/spray. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P501 Dispose of contents/container in accordance with national regulations.

Contains LIMONENE, PIN-2(10)-ENE (BETA-PINENES), p-MENTHA-1,4-DIENE

(GAMMATERPINENE), MYRCENE

Supplementary precautionary

statements

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

# 2.3. Other hazards

M factor (Acute) = 1

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

LINALYL ACETATE		30- 60%
CAS number: 115-95-7	EC number: 204-116-4	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi; R36/38	
LIMONENE CAS number: 138-86-3	EC number: 205-341-0	30- 60%

M factor (Chronic) = 1

# SAFETY DATA SHEET

Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410  LINALOOL CAS number: 78-70-6	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43 EC number: 201-134-4	10- 30%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi; R36/38	
p-MENTHA-1,4-DIENE (GAMMA-TERPINENE)		
CAS number: 99-85-4	EC number: 202-794-6	
Classification Flam. Liq. 3 - H226 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65. R10	
PIN-2(10)-ENE (BETA-PINENES)		5- 10%
CAS number: 127-91-3	EC number: 204-872-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R43, R10	
MYRCENE CAS number: 123-35-3	EC number: 204-622-5	1- 5%
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R36/38. R10	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# SAFETY DATA SHEET

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention

immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get

medical attention if symptoms are severe or persist after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

### 4.2. Most important symptoms and effects, both acute and delayed

General information Persons suffering from asthma, eczema or skin problems should avoid contact, including

dermal contact, with this product. See Section 11 for additional information on health hazards.

#### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Water.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Toxic gases or vapours.

# 5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near

spillage.

### 6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide

adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon

as possible. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

# SAFETY DATA SHEET

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with

skin, eyes and clothing.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash at the end of each work shift and

before eating, smoking and using the toilet.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away Storage precautions

from heat, sparks and open flame. Protect from freezing and direct sunlight.

### 7.3. Specific end use(s)

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

### 8.2. Exposure controls

# Protective equipment







Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles or

face shield.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn

if a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective

clothing in case of contact.

Hygiene measures No specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

Environmental exposure

Residues and empty containers should be taken care of as hazardous waste according to

local and national provisions.

### SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Colour Yellow. to Green.

Odour Characteristic.

55°C Flash point

Relative density ~ 0.870 @ 20°C

9.2. Other information

Refractive index ~ 1.465 @ 20°C

# SAFETY DATA SHEET

# SECTION 10: Stability and reactivity

# 10.1. Reactivity 10.2. Chemical stability

Stability Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

Will not polymerise.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids. Strong alkalis.

### 10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products vapours.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Ingestion May be fatal if swallowed and enters airways.

Skin contact Causes skin irritation. May cause sensitisation by skin contact.

# SECTION 12: Ecological Information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

# 12.1. Toxicity

Ecological information on ingredients.

**LIMONENE** 

Acute aquatic toxicity

 $LE(C)_{50}$  0.1 <  $L(E)C50 \le 1$ 

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

PIN-2(10)-ENE (BETA-PINENES)

Acute aquatic toxicity

 $LE(C)_{50}$  0.1 <  $L(E)C50 \le 1$ 

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

# 12.2. Persistence and degradability

Persistence and degradability The product contains substances which are not expected to be biodegradable.

# SAFETY DATA SHEET

# 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility The product is insoluble in water.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

------

This product does not contain any substances classified as PBT or vPvB.

assessment

# 12.6. Other adverse effects

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

# SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1169 UN No. (IMDG) 1169 UN No. (ICAO) 1169

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

UN No. (ADN)

EXTRACTS, AROMATIC, LIQUID

Proper shipping name

(IMDG)

EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ICAO) EXTRACTS, AROMATIC, LIQUID

1169

Proper shipping name (ADN) EXTRACTS, AROMATIC, LIQUID

# 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

### Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ADN packing group III

# SAFETY DATA SHEET

ICAO packing group Ш

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



#### 14.6. Special precautions for user

**EmS** F-E, S-D

ADR transport category 3

**Emergency Action Code** 3Y

Hazard Identification Number 30

(ADR/RID)

Tunnel restriction code (D/E)

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40.

# 15.2. Chemical safety assessment

# SECTION 16: Other information

Key literature references and European Chemicals Agency, http://echa.europa.eu/

sources for data

Issued by Regulatory Manager

Revision date 25/06/2015

Revision 0

Risk phrases in full R10 Flammable.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

Hazard statements in full H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.