Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF	THE SUBSTANCE	/MIXTURE A	AND OF THE COMPAN	Y/UNDERTAKING	
1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	Essential oil - Lime	- Etherische ol	lie - Limoen		
BIOLOGICAL DEFINITION	CITRUS AURANTIFOLIA OIL IS THE VOLATILE OIL OBTAINED FROM THE FRUITS OF THE LIME, CITRUS AURANTIFOLIA, RUTACEAE.				
INCI NAME	CITRUS AURANTIFOLIA PEEL OIL DISTILLED				
SYNONYMS & TRADE NAMES	LIME OIL DISTILLED				
INTERNAL PRODUCT CODE	SQ0150262 - EO015				
CAS-No	90063-52-8 EC No. 290-010-3 EINECS No. 290-010-3				290-010-3
2 ETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	SoapQueen vof, Veilingdreef 20 4614RX Bergen op Zoom				
	Nederland				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	I.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET				
EMERGENCY CONTACTS	+31 (0)164 254900 - Office Hours: 09:00 - 17:00 (weekdays only)				

SECTION 2: HAZARDS IDENTIFICATION	
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	ASPIRATION TOXICITY CATEGORY 1 - (H304) SKIN CORROSION/IRRITATION CATEGORY 2 - (H315) SERIOUS EYE DAMAGE/EYE IRRITATION CATEGORY 2 - (H319) SKIN SENSITIZATION CATEGORY 1B - (H317) REPRODUCTIVE TOXICITY CATEGORY 2 - (H361) ACUTE AQUATIC TOXICITY CATEGORY 1 - (H400) CHRONIC AQUATIC TOXICITY CATEGORY 1 - (H410) FLAMMABLE LIQUIDS CATEGORY 3 - (H226)
2.2 LABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.
GHS LABEL	GHS02 GHS07 GHS08 GHS09
Signal Word	DANGER
CONTAINS	d-Limonene, Gamma-Terpinene, Terpinolene, alpha-Terpinene
HAZARDS STATEMENT	H304 - MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS H315 - CAUSES SKIN IRRITATION H317 - MAY CAUSE AN ALLERGIC SKIN REACTION H319 - CAUSES SERIOUS EYE IRRITATION H361 - SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD H410 - VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS H226 - FLAMMABLE LIQUID AND VAPOR CONTAINS SABINENE, LINALOOL EUH208 - CONTAINS (.?). MAY PRODUCE AN ALLERGIC REACTION
Precautionary Statements	P210 - KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES NO SMOKING P280 - WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION P201 - OBTAIN SPECIAL INSTRUCTIONS BEFORE USE P202 - DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD P263 - AVOID CONTACT DURING PREGNANCY/WHILE NURSING P301 + P310 - IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR P331 - DO NOT INDUCE VOMITING P302 + P352 - IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER P333 + P313 - IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION P305 + P351 + P338 - IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING P337 + P313 - IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION P308 + P313 - IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION P308 + P313 - IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION P273 - AVOID RELEASE TO THE ENVIRONMENT P501 - DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL, REGIONAL, NATIONAL, AND INTERNATIONAL REGULATIONS AS APPLICABLE
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	NONE.
2.3	SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.
OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO DATA
Adverse effects on human health	NO DATA
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA

SECTION 3: COMPOSITION OF INGREDIENTS

60 - 70% D-LIMONENE CAS-No: 5989-27-5; EC No.: 227-813-5

CLASSIFICATION (EC 1272/2008) FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304-H315-H317-H410,-

10 - 20% Γ-TERPINENE (P-MENTHA-1,4-DIENE) CAS NO99-85-4; EC NO: 202-794-6 CLASSIFICATION (EC 1272/2008) FL 3-AH 1;H226-H304,-

1 - 10% TERPINOLENE CAS No: 586-62-9 EC No: 209-578-0

CLASSIFICATION (EC 1272/2008) SS 1B-AH 1-EH A1-EH C1; H304-H317-H410,-

1 - 10% ALPHA-TERPINEOL CAS NO: 98-55-5 EC NO: -

CLASSIFICATION (EC 1272/2008) AQUATIC ACUTE 2 (H401) (EFFA) EYE IRRIT. 2 (H319) (EFFA) SKIN IRRIT. 2 (H315) (EFFA) ACUTE TOX. 5 (H303)(EFFA) FLAM. LIQ. 4 (H227)(EFFA)

1 - 10% ALPHA-TERPINENE CAS No: 99-86-5 EC No: -

CLASSIFICATION (EC 1272/2008) AQUATIC ACUTE 2 (H401) (EFFA) SKIN IRRIT. 3 (H316) (EFFA) AQUATIC CHRONIC 2 (H411) (EFFA) ASP. TOX. 1 (H304) (EFFA) ACUTE TOX. 4 (H302) (EFFA) FLAM. LIQ. 3 (H226) (EFFA)

1 - 10% BETA-PINENE CAS NO: 127-91-3 EC NO: -

CLASSIFICATION (EC 1272/2008) ACUTE AQUATIC 1 (H400) (EFFA) CHRONIC AQUATIC 1 (H410) (EFFA) SKIN SENS. 1 (H317) (EFFA) SKIN IRRIT. 2 (H315) (EFFA) ASP. TOX. 1 (H304) (EFFA) FLAM. LIQ. 3 (H226)(EFFA)

1 - 10% PARA-CYMENE CAS NO: 99-87-6 EC NO: -

CLASSIFICATION (EC 1272/2008) REP TOX. 2 (H361), AQUATIC ACUTE 2 (H401), SKIN IRRIT. 3 (H316), AQUATIC CHRONIC 2 (H411), ASP. TOX. 1 (H304), ACUTE TOX. 5 (H303), FLAM. LIQ. 3 (H226)

1 - 10% DELTA-3-CARENE CAS NO:13466-78-9 EC NO:

CLASSIFICATION (EC 1272/2008) SKIN SENS. 1 (H317) (EFFA) SKIN IRRIT. 2 (H315) (EFFA) ASP. TOX. 1 (H304) (EFFA)

1 - 10% MYRCENE CAS NO: 123-35-3 EC NO: -

CLASSIFICATION (EC 1272/2008) EYE IRRIT. 2 (H319) (EFFA) SKIN IRRIT. 2 (H315) (EFFA) ASP. TOX. 1 (H304) (EFFA) FLAM. LIQUID 3 (H226) (EFFA) ACUTE AQUATIC 1 (H400) (EFFA) CHRONIC AQUATIC 2 (H411) (EFFA)

1 - 10% ALPHA-PINENE CAS NO: 80-56-8; EC NO: -

CLASSIFICATION (EC 1272/2008). ACUTE AQUATIC 1 (H400) (EFFA) CHRONIC AQUATIC 1 (H410) (EFFA) ACUTE TOX. 4 (H302) (EFFA) SKIN SENS. 1B (H317) (EFFA) SKIN IRRIT. 2 (H315) (EFFA) ASP. TOX. 1 (H304) (EFFA) FLAM. LIQ. 3 (H226)(EFFA)

0.1 - 1% TRANS BETA-OCIMENE CAS NO: 3779-61-1 EC NO: -

Classification (EC 1272/2008) Acute Tox. 5 (H303) (EFFA) Asp. Tox. 1 (H304) (EFFA) Skin Irrit. 2 (H315) (EFFA) Acute Aquatic 1 (H400) (EFFA) Chronic Aquatic 2 (H411) (EFFA) Flam. Liq. 3 (H226) (EFFA)

0.1 – 1% ALPHA-PHELLANDRENE CAS No: 99-83-2 EC No: -

CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 3 (H316) (EFFA) ASP. TOX. 1 (H304) (EFFA) FLAM. LIQ. 3 (H226)(EFFA)

0.1 – 1% CAMPHENE CAS No: 79-92-5 EC No: -

CLASSIFICATION (EC 1272/2008). AQUATIC ACUTE 1 (H400) (EFFA) EYE IRRIT. 2B (H320) (EFFA) AQUATIC CHRONIC 1 (H410) (EFFA) FLAM. SOL 2 (H228) (EFFA)

0.1 - 1% SABINENE CAS No: 3387-41-5 EC No: -

Classification (EC 1272/2008) Aspiration cat 1 (H304), Flam cat 3 (H226), Skin Irri cat 2 (H315), Skin sensi cat 1 (H410), Acute aquatic cat 1 (H400), Chronic aquatic cat 1 (H410)

0.1 - 1% LINALOOL CAS NO: 78-70-6 EC NO: -

CLASSIFICATION (EC 1272/2008) AQUATIC ACUTE 3 (H402) (EFFA) EYE IRRIT. 2 (H319) (EFFA) SKIN IRRIT. 2 (H315) (EFFA) ACUTE TOX. 5 (H303)(EFFA) FLAM. LIQ. 4 (H227)(EFFA) SKIN SENS. 1B (H317)(EFFA)

3.2 MIXTURES

4.1		
DESCRIPTION OF FIRST AID MEASURES	ALWAYS DEMOVE CONTAMINATED CLOTHING IMMEDIATELY	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY. GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL	
INHALATION	ATTENTION.	
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.	
SKIN CONTACT		
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.	
4.2 Most important symptoms & effects (Acute & Delayed)	None known.	
1.3 NDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR PECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.	
SECTION 5: FIRE FIGHTING MEASURES		
5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.	
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	Burning produces irritating, toxic and obnoxious fumes	
5.3	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:	
ADVICE FOR FIRE-FIGHTERS	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN,	
SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective	
SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN	
SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP 6.4 REFERENCES TO OTHER SECTIONS	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 12.	
SECTION 6: ACCIDENTAL RELEASE MEAS 5.1 PERSONAL PRECAUTIONS 5.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING JP 6.4 REFERENCES TO OTHER SECTIONS SECTION 7: HANDLING & STORAGE	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 12.	
ADVICE FOR FIRE-FIGHTERS SECTION 6: ACCIDENTAL RELEASE MEAS 6.1 PERSONAL PRECAUTIONS 6.2 ENVIRONMENTAL PRECAUTIONS 6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP 6.4	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING. URES ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES. REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 12. REFER & CONSIDER SECTION 13. HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OF	

Ceiling / Peak: 20 ppm Ceiling / Peak: 112 mg/m³ Skin gamma-Terpinene 99-85-4 TWA: 1000 mg/m STEL: 1500 mg/m³ Terpinolene TWA: 1000 mg/m STEL: 1500 mg/m³ 586-62-9 alpha-Terpinene TWA: 1000 mg/m³ 99-86-5 STEL: 1500 mg/m³ TWA: 1000 mg/m³ beta-Pinene 127-91-3 TWA: 20 ppm STEL: 1500 mg/m³ TWA: 1500 mg/m³ TWA: 1000 mg/m³ STEL: 1500 mg/m³ TWA: 113 mg/m³ para-Cymene 99-87-6 delta-3-Carene TWA: 1000 mg/m TWA: 20 ppm STEL: 1500 mg/m³ TWA: 1000 mg/m³ STEL: 1500 mg/m³ TWA: 1000 mg/m³ TWA: 113 mg/m³ 13466-78-9 Myrcene 123-35-3 TWA: 20 ppm alpha-Pinene 80-56-8 trans beta-Ocimene STEL: 1500 mg/m³ TWA: 1000 mg/m³ TWA: 113 mg/m³ 3779-61-1 STEL: 1500 mg/m³ TWA: 1000 mg/m³ alpha-Phellandrene 99-83-2 STEL: 1500 mg/m³ TWA: 1000 mg/m³ Camphene 79-92-5 STEL: 1500 mg/m³ TWA: 1000 mg/m³ Sabinene 3387-41-5 STEL: 1500 mg/m³ Netherlands Chemical Name Italy Portugal Finland Denmark TWA: 25 ppm TWA: 140 mg/m³ STEL: 50 ppm d-Limonene 5989-27-5 8.1 **CONTROL PARAMETERS** STEL: 280 mg/m³ beta-Pinene TWA: 20 ppm 127-91-3 TWA: 25 ppm para-Cymene 99-87-6 TWA: 135 mg/m³ delta-3-Carene TWA: 20 ppm 13466-78-9 TWA: 20 ppm alpha-Pinene 80-56-8 Chemical Name Austria Switzerland Poland Norway TWA: 25 ppm Ireland STEL: 14 ppm d-Limonene TWA: 140 mg/m³ STEL: 37.5 ppm 5989-27-5 STEL: 80 mg/m3 TWA: 7 ppm STEL: 37.5 ppm STEL: 175 mg/m³ TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³ TWA: 40 mg/m³ Skin heta-Pinene 127-91-3 STEL: 40 ppm STEL: 224 mg/m³ TWA: 20 ppm TWA: 112 mg/m³ TWA: 25 ppm delta-3-Carene TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³ STEL: 40 ppm 13466-78-9 STEL: 224 mg/m³ TWA: 20 ppm TWA: 112 mg/m³ Myrcene 123-35-3 TWA: 40 ppm TWA: 275 mg/m3 STEL: 60 ppm STEL: 343.75 mg/m³ TWA: 25 ppm Skin alpha-Pinene

Chemical Name

d-Limonene 5989-27-5

European Union United Kingdom

France

TWA: 1000 mg/m³ STEL: 1500 mg/m³

Spain

S* TWA: 30 ppm

TWA: 168 mg/m³

TWA: 140 mg/m³ Skin STEL: 37.5 ppm

STEL: 175 mg/m³

STEL: 40 ppm STEL: 224 mg/m³

TWA: 20 ppm TWA: 112 mg/m³

Skin STEL: 40 ppm

STEL: 224 mg/m³ TWA: 20 ppm TWA: 112 mg/m³

Germany TWA: 5 ppm TWA: 28 mg/m³

8.2 **EXPOSURE CONTROLS**



EYE PROTECTION WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. **HAND PROTECTION**

WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.

80-56-8

Camphene

79-92-5

RESPIRATORY EQUIPMENT	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. B) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. C) Use closed systems for transferring and processing this material. Also refer to Sections 2 and 7.	
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.	
Engineering Measures	PROVIDE ADEQUATE VENTILATION.	
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.	
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.	
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.	
Process Conditions	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION, SAFETY SHOWER & EYE BATH.	
ENVIROMENTAL EXPOSURE CONTROLS		
ENVIRONIENTAL EXI OSGRE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.	
PROPERTIES 9.1		
PHYSICAL & CHEMICAL PROPERTIES		
APPEARANCE	LIQUID	
Colour	COLOURLESS — PALE YELLOW. CHARACTERISTIC OF LIME.	
RELATIVE DENSITY	0.8455 – 0.8565 @ 25°C	
FLASH POINT (°C)	52°C	
REFRACTIVE INDEX @ 20 °C	1.4710 - 1.4760 @ 20°C	
SOLUBILITY IN WATER @ 20 °C	NO ADDITIONAL DATA AVAILABLE.	
9.2	NO DATA.	
SECTION 10: STABILITY & REACTIVITY		
10.1 REACTIVITY	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.	
10.2 CHEMICAL STABILITY	Stable under suggested storage conditions (<15°C).	
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.	
10.4 CONDITIONS TO AVOID	HEAT, FLAMES AND SPARKS.	
10.5 INCOMPATIBLE MATERIALS	P.V.C	
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.	

11.1 Toxicological effects		
ONICOLOGICAL ETTECTS	THE FOLLOWING VALUES ARE CALCULATED BASED ON CHAPTER 3.1 OF THE	GHS DOCUMENT
Αςυτε Τοχιςιτγ	65.6942 % OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN ACU 97.8736 % OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN ACU 97.8736 % OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN ACU (GAS) 97.8736 % OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN ACU (VAPOR) 95.868 % OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN ACUTE (DUST/MIST)	TE DERMAL TOXICITY. TE INHALATION TOXICIT TE INHALATION TOXICIT
SKIN IRRITATION	IRRITATING TO SKIN.	
EYE DAMAGE OR IRRITATION	Causes serious eye irritation.	
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE SENSITISTION BY SKIN CONTACT.	
GERM CELL MUTAGENICITY	NOT CLASSIFIED.	
CARCINOGENICITY	NOT CLASSIFIED.	
REPRODUCTIVE TOXICITY	PRODUCT IS OR CONTAINS A CHEMICAL WHICH IS A KNOWN OR SUSPECTED REF	PRODUCTIVE HAZARD.
	GAMMA-TERPINENE. PARA-CYMENE.	
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.	
STOT — REPEATED EXPOSURE	NOT CLASSIFIED.	
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304).	
SECTION 12: ECOLOGICAL INFORMATION	NOT CLASSIFIED. VERY TOYIC TO AQUATIC LIFE WITH LONG LASTING FEFECTS	
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HA	ZARDS TO THE AQUATIO
	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAENVIRONMENT. Chemical Name Crustacea Algae/aquatic plants	Fish
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAENVIRONMENT. Chemical Name Crustacea Algae/aquatic plants d-Limonene 48hr EC50 - 0.4 mg/L (Daphnia magna) 96 hr NOEC - 4mg/L (Green algae)	Fish 96hr LC50 - 0.7mg/L (Pimepha promelas)
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAE ENVIRONMENT. Chemical Name Crustacea 48hr EC50 - 0.4 mg/L (Daphnia magna) alpha-Terpineol 48hr EC50 - 0.4 mg/L (Daphnia magna) 27hr EC50 - 68mg/l magna) para-Cymene 72hr EC50 - 403 mg/L, NOErC - 48hr EC50 - 100 mg/L	Fish 96hr LC50 - 0.7mg/L (Pimeph: promelas) 96hr LC50 - 62 to 80 mg/L (Da rerio) 96hr LC50 - 48 mg/L (Cyprino
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAE ENVIRONMENT. Chemical Name G-Limonene 48hr EC50 - 0.4 mg/L (Daphnia magna) alpha-Terpineol 48hr EC50 - 73 mg/l (Daphnia magna) para-Cymene 72hr EC50 - 430 mg/L, NOErC - 1.4 mg/L (Scenedesmus capricomutum) Capricomutum)	Fish 96hr LC50 - 0.7mg/L (Pimephi promeilas) 96hr LC50 - 62 to 80 mg/L (Da rerio) 96hr LC50 - 48 mg/L (Cyprino variegatus)
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HA ENVIRONMENT. Chemical Name Crustacea Algae/aquatic plants d-Limonene 48hr EC50 - 0.4 mg/L. (Daphnia mapna) alpha-Terpineol 48hr EC50 - 73 mg/l. (Daphnia 72hr EC50 - 68mg/l magna) para-Cymene 72hr EC50 - 4.0 S mg/L. NOErc - 1.4 mg/L. (Scenedesmus capricomutum) alpha-Pinene 41: 48 h Daphnia magna mg/L. LC50 Camphene 48hr EC50/LC50 - 50 mg/L 72hr EC50 - 30.31 mg/L, EC10 or	Fish 96hr LC50 - 0.7mg/L (Pimepha promelas) 96hr LC50 - 62 to 80 mg/L (Da rerio) 96hr LC50 - 48 mg/L (Cyprinov variegatus) 0.28: 96 h Pimephales prome mg/L LC50 static
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HA ENVIRONMENT. Chemical Name Crustacea Algae/aquatic plants d-Limonene 48hr EC50 · 0.4 mg/L (Daphnia magna) alpha-Terpineol 48hr EC50 · 73 mg/l (Daphnia 72hr EC50 - 68mg/l magna) para-Cymene 72hr EC50 · 4.0 3 mg/L, NOErc - 1.4 mg/L (Scenedesmus capricomutum) alpha-Pinene 41: 48 h Daphnia magna mg/L LC50 Camphene 48hr EC50/LC50 · 50 mg/L (Daphnia magna) VERY TOXIC TO AQUATIC Plants Algae/aquatic plants pagna magna gl (Daphnia magna) 72hr EC50 - 30.31 mg/L, EC10 or NOEC - 10 mg/L (Pseudokirchneriella subpicata)	Fish 96hr LC50 - 0.7mg/L (Pimeph: promelas) 96hr LC50 - 62 to 80 mg/L (Da rerio) 96hr LC50 - 48 mg/L (Cyprinor varlegatus) 0.28: 96 h Pimephales promei mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re
SECTION 12: ECOLOGICAL INFORMATION	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HA ENVIRONMENT. Chemical Name	Fish 96hr LC50 - 0.7mg/L (Pimeph: promelas) 96hr LC50 - 62 to 80 mg/L (Da rerio) 96hr LC50 - 48 mg/L (Cyprinor varlegatus) 0.28: 96 h Pimephales promei mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re
	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAE ENVIRONMENT. Chemical Name Crustacea Algae/aquatic plants d-Limonene 48hr EC50 - 0.4 mg/L (Daphnia magna) alpha-Terpineol 48hr EC50 - 73 mg/l (Daphnia T2hr EC50 - 68mg/l magna) para-Cymene 72hr ErC50 - 4.03 mg/L, NOErC - 1.4 mg/L (Scenedesmus capricomutum) alpha-Pinene 41: 48 h Daphnia magna mg/L LC50 Camphene 48hr EC50/LC50 - 59 mg/L (Pseudokirchneriella subpicata) (Pseudokirchneriella subpicata) Linalool 48hr EC50 - 59mg/L (Daphnia 196hr EC50 - 156,7 mg/L, EC10 or	Fish 96hr LC50 - 0.7mg/L (Pimepha prometas) 96hr LC50 - 62 to 80 mg/L (Da refro) 96hr LC50 - 48 mg/L (Cyprinot variegatus) 0.28: 96 h Pimephales promet mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re
SECTION 12: ECOLOGICAL INFORMATION 12.1 TOXICITY 12.2 PERSISTENCE & DEGRADABILITY 12.3 BIO- ACCUMULATIVE POTENTIAL	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAE ENVIRONMENT. Chemical Name G-Limonene 48hr EC50 - 0.4 mg/L (Daphnia magna) alpha-Terpineol 48hr EC50 - 7.3 mg/l (Daphnia magna) para-Cymene 72hr EC50 - 403 mg/L, NOErC - 1.4 mg/L (Secendesmus capricomutum) alpha-Pinene 41: 48 h Daphnia magna mg/L LC50 Camphene 48hr EC50 - 50 mg/L (Daphnia magna) Linalool 48hr EC50 - 50 mg/L (Daphnia magna) 96 hr C50 - 163 mg/L, EC10 or NOEC - 10 mg/L (Pseudokirchneriella subpicata) or NOEC - 10 mg/L (Pseudokirchneriella subpicata) magna) 96 hr EC50 - 165 mg/L, EC10 or NOEC - 54.3 mg/L (Desmodesmus subspicatus)	Fish 96hr LC50 - 0.7mg/L (Pimepha promelas) 96hr LC50 - 62 to 80 mg/L (Da retio) 96hr LC50 - 48 mg/L (Cyprinor variegatus) 0.28: 96 h Pimephales prome mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re
SECTION 12: ECOLOGICAL INFORMATION 12.1 TOXICITY 12.2 PERSISTENCE & DEGRADABILITY 12.3 BIO- ACCUMULATIVE POTENTIAL 12.4	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HA ENVIRONMENT. Chemical Name	Fish 96hr LC50 - 0.7mg/L (Pimephi prometas) 96hr LC50 - 6.2 to 80 mg/L (Da retrio) 96hr LC50 - 48 mg/L (Cyprino- variegatus) 0.28: 96 h Pimephales prome mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re
SECTION 12: ECOLOGICAL INFORMATION 12.1 TOXICITY 12.2 PERSISTENCE & DEGRADABILITY 12.3	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HA ENVIRONMENT. Chemical Name Crustacea Algae/aquatic plants d-Limonene 48hr EC50 - 0.4 mg/L (Daphnia magna) alpha-Terpineol 48hr EC50 - 73 mg/l (Daphnia magna) para-Cymene 72hr ErC50 - 4.03 mg/L, NOErC - 1.4 mg/L (Scenedesmus capricomutum) alpha-Pinene 41: 48 h Daphnia magna mg/L LC50 Camphene 48hr EC50/LC50 - 59 mg/L (Pseudokirchneriella subpicata) (Daphnia magna) Linalool 48hr EC50 - 59mg/L (Daphnia magna) MOEC - 10 mg/L (Pseudokirchneriella subpicata) 96 hr CS0 - 156, mg/L, EC10 or NOEC - 10 mg/L (Pseudokirchneriella subpicata) 97 hr EC50 - 30.31 mg/L, EC10 or NOEC - 10 mg/L (Pseudokirchneriella subpicata) 98 hr EC50 - 156, mg/L, EC10 or NOEC - 54.3 mg/L (Desmodesmus subspicatus) NO DATA.	Fish 96hr LC50 - 0.7mg/L (Pimephapmenes) 96hr LC50 - 62 to 80 mg/L (Darento) 96hr LC50 - 62 to 80 mg/L (Darento) 96hr LC50 - 48 mg/L (Cyprinovariegatus) 0.28: 96 h Pimephales prome mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re
SECTION 12: ECOLOGICAL INFORMATION 12.1 TOXICITY 12.2 PERSISTENCE & DEGRADABILITY 12.3 BIO- ACCUMULATIVE POTENTIAL 12.4 MOBILITY IN SOIL	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS 13.9918 % OF THE MIXTURE CONSISTS OF COMPONENT(S) OF UNKNOWN HAE ENVIRONMENT. Chemical Name G-Limonene G-L	Fish 96hr LC50 - 0.7mg/L (Pimepha promelas) 96hr LC50 - 62 to 80 mg/L (Da rerio) 96hr LC50 - 48 mg/L (Cyprinoc variegatus) 0.28: 96 h Pimephales promel mg/L LC50 static 96hr LC50 - 50 mg/L (Danio re 96hr LC50 - 50 mg/L (Salm gairdheri)

13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.
------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------

SECTION 14: TRANSPORT INFORMATION		
14.1 Transport Information		
UN NUMBER	ROAD: 1169 RAIL: 1169	
14.2 UN SHIPPING NAME	AIR: 1169 EXTRACTS, AROMATIC, LIQUID	
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID. TRANSPORT LABELS FLAMMABLE	
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III	
14.5 ENVIROMENTAL HAZARDS	ICAO PACKING GROUP III ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	
14.6 SPECIAL PRECAUTIONS FOR USER	Refer and consider sections 6 – 8.	
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NO ADDITIONAL DATA.	
SECTION 15: REGULATORY INFORMATION		
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION		
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 th	

	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
	1999/45/EC and repealing council regulation (EEC) No793/93 & commission
	regulation (EC) No 1 488/94 as well as council directive 76/769/EEC & commission
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009
STATUTORY INSTRUMENTS	No 716).
Annayan Cana an Bay ansa	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA
Approved Code of Practice	SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2	
CHEMICAL SAFETY ASSESSMENT	-

SECTION 16: OTHER INFORMATION	
Hazard and/ or Precautionary Statements in full	H226 - FLAMMABLE LIQUID AND VAPOR H227 - COMBUSTIBLE LIQUID H228 - FLAMMABLE SOLID H302 - HARMFUL IF SWALLOWED H303 - MAY BE HARMFUL IF SWALLOWED H304 - MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS H315 - CAUSES SKIN IRRITATION H316 - CAUSES MILD SKIN IRRITATION H317 - MAY CAUSE AN ALLERGIC SKIN REACTION H319 - CAUSES SERIOUS EYE IRRITATION H320 - CAUSES EYE IRRITATION H361 - SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD H400 - VERY TOXIC TO AQUATIC LIFE H401 - TOXIC TO AQUATIC LIFE H410 - VERY TOXIC TO AQUATIC LIFE H410 - VERY TOXIC TO AQUATIC LIFE H411 - TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	International Nomenclature of Cosmetic Ingredients.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	International Civil Aviation Organization.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INCAME TO A TERMATS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 [™] April 2018	Data Launch
2021	Review