

[www.soapqueen.eu](http://www.soapqueen.eu)

## SAFETY DATA SHEET ROSEMARY OIL SPANISH (NI)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Essential oil Rosemary (nature identical) - Etherische olie Rozemarijn (natuur identiek)  
Product number 30306 - EO034

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Concentrated material for manufacturing purposes only.

#### 1.3. Details of the supplier of the safety data sheet

SUPPLIER SoapQueen vof  
Veilingdreef 20  
4614 RX Bergen op Zoom  
Nederland

CONTACT PERSON Regulatory Manager (Aanwezige leidinggevende)

#### 1.4. Emergency telephone number

EMERGENCY TELEPHONE +31 (0)164 254900 - Office Hours: 09:00 - 17:00 (weekdays only)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Sens. 1 - H317 STOT SE 2 - H371 Asp. Tox. 1 - H304 Environmental hazards

Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Classification (67/548/EEC or 1999/45/EC) Xn; R65, R68/22. N; R50/53. R10, R43

#### 2.2. Label elements

##### Pictogram



Signal word

Danger

##### Hazard statements

H226 Flammable liquid and vapour.  
H371 May cause damage to organs if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p>
Contains	LIMONENE, PIN-2(3)-ENE (ALPHA-PINENES), CAMPHOR, PIN-2(10)-ENE (BETAPINENES), CAMPHENE , BETA-CARYOPHYLLENE
Supplementary precautionary statements	<p>P233 Keep container tightly closed.</p> <p>P240 Ground/bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use only non-sparking tools.</p> <p>P243 Take precautionary measures against static discharge.</p> <p>P260 Do not breathe vapour/spray.</p> <p>P261 Avoid breathing vapour/spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P331 Do NOT induce vomiting.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P391 Collect spillage.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>

## 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

LIMONENE	30-60%
CAS number: 138-86-3	EC number: 205-341-0
M factor (Acute) = 1	M factor (Chronic) = 1
Classification	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Skin Sens. 1 - H317	
Asp. Tox. 1 - H304	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

## SAFETY DATA SHEET

PIN-2(3)-ENE (ALPHA-PINENES) CAS number: 80-56-8 M factor (Acute) = 1	EC number: 201-291-9 M factor (Chronic) = 1	10-30%
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;">           Classification            Flam. Liq. 3 - H226            Skin Irrit. 2 - H315            Skin Sens. 1B - H317            Asp. Tox. 1 - H304            Aquatic Acute 1 - H400            Aquatic Chronic 1 - H410         </div> <div style="width: 35%; text-align: right;">           Classification (67/548/EEC or 1999/45/EC)            Xn; R65. Xi; R38. N; R50/53. R43, R10         </div> </div>		
CAMPHOR CAS number: 76-22-2	EC number: 200-945-0	10-30%
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;">           Classification            Flam. Liq. 3 - H226            Acute Tox. 4 - H302            Acute Tox. 4 - H332            STOT SE 2 - H371         </div> <div style="width: 35%; text-align: right;">           Classification (67/548/EEC or 1999/45/EC)            Xn; R68/22, R20/22. R10         </div> </div>		
PIN-2(10)-ENE (BETA-PINENES) CAS number: 127-91-3 M factor (Acute) = 1	EC number: 204-872-5 M factor (Chronic) = 1	5-10%
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;">           Classification            Flam. Liq. 3 - H226            Skin Irrit. 2 - H315            Skin Sens. 1B - H317            Asp. Tox. 1 - H304            Aquatic Acute 1 - H400            Aquatic Chronic 1 - H410         </div> <div style="width: 35%; text-align: right;">           Classification (67/548/EEC or 1999/45/EC)            Xn; R65. Xi; R38. N; R50/53. R43, R10         </div> </div>		
CAMPHENE CAS number: 79-92-5 M factor (Acute) = 1	EC number: 201-234-8	1-5%
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;">           Classification            Flam. Liq. 3 - H226            Eye Irrit. 2 - H319            Asp. Tox. 1 - H304            Aquatic Acute 1 - H400            Aquatic Chronic 2 - H411         </div> <div style="width: 35%; text-align: right;">           Classification (67/548/EEC or 1999/45/EC)            Xn; R65. Xi; R36. N; R50, R51/53. R10         </div> </div>		

## SAFETY DATA SHEET

BETA-CARYOPHYLLENE		1-5%
CAS number: 87-44-5	EC number: 201-746-1	
Classification Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65	
ALPHA-TERPINEOL		1-5%
CAS number: 10482-56-1	EC number: 233-986-8	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi; R36/38	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
---------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
----------------------	------------------------------

## SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Water.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Toxic gases or vapours.
------------------	-------------------------

5.3. Advice for firefighters

Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing

## SAFETY DATA SHEET

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions      Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.

#### 6.2. Environmental precautions

Environmental precautions      Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up      Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

#### 6.4. Reference to other sections

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions      Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.

Advice on general occupational hygiene      Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions      Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

#### 7.3. Specific end use(s)

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters Occupational exposure limits

CAMPHOR

Long-term exposure limit (8-hour TWA): WEL 2 ppm 13 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 3 ppm 19 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

#### 8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

## SAFETY DATA SHEET

Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

## SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties  
Liquid.

## Appearance

Colour Colourless to pale yellow.

Odour Characteristic.

Flash point 40°C

Relative density ~ 0.905 @ 20°C

9.2. Other information

## Refractive index

~ 1.469 @ 20°C

## SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

## SECTION 11: Toxicological information

11.1. Information on toxicological effects Acute toxicity - oral

ATE oral (mg/kg) 12,381.85

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 9.55

## SAFETY DATA SHEET

Ingestion	May be fatal if swallowed and enters airways.
Skin contact	May cause sensitisation by skin contact.
Acute and chronic health hazards	May cause damage to organs if swallowed.

Toxicological information on ingredients.CAMPHORAcute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,310.0

Species Mouse

ATE oral (mg/kg) 1,310.0

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 1.01

**SECTION 12: Ecological Information**

Ecotoxicity Very toxic to aquatic life with long lasting effects.

12.1. ToxicityEcological information on ingredients.LIMONENEAcute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

PIN-2(10)-ENE (BETA-PINENES)Acute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

CAMPHENEAcute aquatic toxicity

LE(C)<sub>50</sub> 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

12.2. Persistence and degradability

Persistence and degradability The product contains substances which are not expected to be biodegradable.

## SAFETY DATA SHEET

### 12.3. Bioaccumulative potential

Bioaccumulative potential      The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

Mobility      The product is insoluble in water.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment      This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal methods      Dispose of waste product or used containers in accordance with local regulations

## SECTION 14: Transport information

### 14.1. UN number

UN No. (ADR/RID)      1169

UN No. (IMDG)      1169

UN No. (ICAO)      1169

UN No. (ADN)      1169

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)      EXTRACTS, AROMATIC, LIQUID

Proper shipping name (IMDG)      EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ICAO)      EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ADN)      EXTRACTS, AROMATIC, LIQUID

### 14.3. Transport hazard class(es)

ADR/RID class      3

ADR/RID classification code      F1

ADR/RID label      3

IMDG class      3

ICAO class/division      3

ADN class      3

Transport labels



### 14.4. Packing group

ADR/RID packing group      III

IMDG packing group      III



## SAFETY DATA SHEET

ADN packing group III

ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 3

Emergency Action Code 3Y

Hazard Identification Number 30  
(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

**SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment**SECTION 16: Other information**Key literature references and sources for data European Chemicals Agency, <http://echa.europa.eu/>

Issued by Regulatory Manager

Revision date 22/01/2014

Revision 5

## SAFETY DATA SHEET

Risk phrases in full

- R10 Flammable.
- R11 Highly flammable.
- R20 Harmful by inhalation.
- R36 Irritating to eyes.
- R36/38 Irritating to eyes and skin.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- R68/22 Harmful: possible risk of irreversible effects if swallowed.

Hazard statements in full

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H371 May cause damage to organs if swallowed.
- H371 May cause damage to organs (Central nervous system, Kidneys) if swallowed.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.