

Safety Data Sheet

section

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation : Haircare - Melt & Pour - white - Syndopour - Conditioner MB - GGB50 / Haarverzorging - wit - Syndopour - Conditioner MB - GGB50
Article No (user) : SQGGB50WCR0231.
UFI : CRU8-HOD8-700R-5F71

1.2 Relevant identified uses of the substance or mixture and uses advised against

REACH: Product is a mixture, therefore Exempt.

Relevant identified uses : Personal Care/Cosmetic. (PC39).
Uses advised against : None identified.

1.3 Details of the supplier of the safety data sheet

Supplier : **Name:** Stephenson
Street: Brookfoot House, Low Lane, Leeds
Postal code/City: LS18 5PU
Country: United Kingdom
Telephone: +441132050900
Website: <https://www.stephensonpersonalcare.com/>
E-mail: Hello@stephensongroup.co.uk

1.4 Emergency Telephone Number

United Kingdom:

+35625454030 +35 (0) 31 837 9964 (medical professionals) +35 (0) 31 809 2166 (public) In England and Wales: dial 111 (NHS 111), In Scotland: dial 111 (NHS 24), In Northern Ireland: Contact your local GP or pharmacist during normal hours. During GP Out-of-Hours (www.gpoutofhours.hscni.net/): Belfast HSC Trust, (North & West) 028 9074 4447, (South & East) 028 9079 6220 South Eastern HSC Trust, (North Down & Ards) 028 9182 2344, (Lisburn & Downpatrick) 028 9260 2204, Dalriada Urgent Care (Northern Trust area) 028 2566 3500, Southern HSC Trust 028 3839 9201, Western Urgent Care 028 7186 5195.
 STEPHENSON +44 (0) 7764 639 059.

section

2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Hazards identification:

H318	Eye Dam. 1	Causes serious eye damage
H412	Aquatic Chronic 3	Harmful to aquatic life with long lasting effects

2.2 Label elements

Label elements according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Labelling

Hazard pictograms



Signal word

Danger

Hazard Statements

H318 Causes serious eye damage
H412 Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

P280 Wear protective gloves/protective clothing/eye protection.

Precautionary Statements - Response

P305+P351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P338 do. Continue rinsing.
P310 Immediately call a doctor if symptoms persist.

Contains

Quaternary ammonium compounds, C20-22-alkyltrimethyl, chlorides, N-[3-(dimethylamino)propyl]stearamide

2.3 Other hazards

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

section **3 Composition/information on ingredients**
3.2 Mixtures

In accordance with the product knowledge, no nanomaterials have been identified.

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

Substance	Concentration (%)	Specific concentration limits	Classification
propane-1,2-diol [1]			
CAS N° 57-55-6 EC N° 200-338-0 IDX N° Registration number 01-2119456809-23-XXXX	20.0 – 40.0%		
Fatty acids, coco, 2-sulfoethyl esters, sodium salts			
CAS N° 61789-32-0 EC N° 263-052-5 IDX N° Registration number 01-2119974104-40-XXXX	20.0 – 40.0%	M(Chronic)=1	H319 Eye Irrit. 2 H412 Aquatic Chronic 3
glycerol			
CAS N° 56-81-5 EC N° 200-289-5 IDX N° Registration number 01-2119471987-18-XXXX	10.0 – 20.0%		

Quaternary ammonium compounds, C20-22-alkyltrimethyl, chlorides				
CAS N°	68607-24-9	1.0 – 5.0%		H315 Skin Irrit. 2
EC N°	271-756-9			H318 Eye Dam. 1
IDX N°				H373 STOT RE 2
Registration number	01-2119484817-22-XXXX			H400 Aquatic Acute 1
				H411 Aquatic Chronic 2
N-[3-(dimethylamino)propyl]stearamide				
CAS N°	7651-02-7	1.0 – 5.0%	M=1	H318 Eye Dam. 1
EC N°	231-609-1			H400 Aquatic Acute 1
IDX N°				H411 Aquatic Chronic 2
Registration number	01-2119979089-19-XXXX			
propan-2-ol [1]				
CAS N°	67-63-0	0.5 – 1.0%		H225 Flam. Liq. 2
EC N°	200-661-7			H319 Eye Irrit. 2
IDX N°	603-117-00-0			H336 STOT SE 3 H336
Registration number	01-2119457558-25-XXXX			
citric acid				
CAS N°	77-92-9	0.5 – 1.0%		H319 Eye Irrit. 2
EC N°	201-069-1			H335 STOT SE 3 H335
IDX N°	607-750-00-3			
Registration number	01-2119457026-42-XXXX			

[1] Substance for which maximum workplace exposure limits are available.

Remark

Text phrases and H- EUH-: see section 16.

4 First aid measures

4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Do not leave affected person unattended.

Remove victim out of the danger area.

Keep affected person warm, still and covered.

Remove the affected person from the danger zone and lay down.

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

Following skin contact:

After contact with skin, wash immediately with plenty of water and soap.

Remove contaminated, saturated clothing immediately.

Following eye contact:

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Protect unharmed eye.

Following ingestion:

Never give anything by mouth to an unconscious person or a person with cramps.

IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed
Notes for the doctor:

Treat symptomatically.

section **5 Firefighting measures**
5.1 Extinguishing media
Suitable extinguishing media:

Foam.
Extinguishing powder.
Carbon dioxide (CO₂).
Sand.

Unsuitable extinguishing media:

Strong water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not inhale vapors and fumes.
Co-ordinate fire-fighting measures to the fire surroundings.
Move undamaged containers from immediate hazard area if it can be done safely.
Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.
Use water spray jet to protect personnel and to cool endangered containers.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

section **6 Accidental release measures**
6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.
Remove persons to safety.
Use appropriate respiratory protection.
Provide adequate ventilation.

6.2 Environmental precautions

Ensure that waste is collected and contained.
Avoid release to the environment.
Cover drains.
Ensure all waste water is collected and treated via a waste water treatment plant.
Do not allow to enter into soil/subsoil.
Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Treat the recovered material as prescribed in the section on waste disposal.
Collect in closed and suitable containers for disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.
Ventilate affected area.

6.4 Reference to other sections

Safe handling: see section 7.
 Disposal: see section 13.
 Personal protection equipment: see section 8.

Additional information

Not available

7 Handling and Storage

7.1 Precautions for safe handling

PROTECTIVE MEASURES:

Wear personal protective clothing (see section 8).
 Sewers and ducts must be protected against the entry of the product.
 Provide for retaining containers, eg. floor pan without outflow.
 Use only in well-ventilated areas.
 Provide adequate ventilation as well as local exhaustion at critical locations.
 Dust should be exhausted directly at the point of origin.
 Avoid breathing dust.

Advices on general occupational hygiene:

Wash hands before breaks and after work.
 Remove contaminated, saturated clothing immediately.

In the immediate working surroundings there must be:

Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool, and well-ventilated place.
 Keep container in upright position in order to prevent leakage.
 Store at 15-25°C.
 Store away from direct sunlight.

Requirements for storage rooms and vessels:

Use isolated drainage to prevent discharge to soil.
 Ensure adequate ventilation of the storage area.
 Ground/bond container and receiving equipment.

Advice on joint storage:

Keep away from food, drink and animal feedingstuffs.
 Keep away from clothing and other combustible materials.
 Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits:

Substance	Value	Unit	Type
propan-2-ol CAS: 67-63-0 (GB)	500	ppm	Exposure limit (15 minutes)
propan-2-ol CAS: 67-63-0 (GB)	1,250	mg/m ³	Exposure limit (15 minutes)
glycerol CAS: 56-81-5 (GB)	10	mg/m ³	Exposure limit (8 hours)

propane-1,2-diol CAS: 57-55-6 (GB)	10	mg/m ³	Exposure limit (8 hours)
propane-1,2-diol CAS: 57-55-6 (GB)	150	ppm	Exposure limit (8 hours)
propan-2-ol CAS: 67-63-0 (GB)	400	ppm	Exposure limit (8 hours)
propan-2-ol CAS: 67-63-0 (GB)	999	mg/m ³	Exposure limit (8 hours)

Biological limit values:

Not available

Exposure limits at intended use:

Not available

Remark:

Not available

8.2 Exposure controls

Appropriate engineering controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment:

Eye/face protection

: **Suitable eye protection:**
Wear eye protection equipment.

Skin protection

: **Hand protection:**
Suitable gloves type:
Wear protective gloves.
Body protection:
Suitable protective clothing:
Lab coat.

Respiratory protection

: **Respiratory protection necessary at:**
None required.

Environmental exposure controls:

Not available

Consumer exposure controls:

Not available

Additional information

Not available.

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Off-white Opaque
Odour	: Characteristic
pH	: 4.5
Melting point/freezing point	: Not available
Initial boiling point and boiling range	: Not applicable
Flash point	: Not applicable
Flammability	: Not available
Upper/lower flammability or explosive limits	: Not applicable

Vapour pressure	: Not available
Vapour density	: Not applicable
Relative density	: Not available
Solubility(ies)	: Not available
Partition coefficient n-octanol/water (log value)	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
Dynamic viscosity	: Not available
Kinematic viscosity	: Not available
Oxidising properties	: Not available
Solubility in other Solvents	: Not available
Particle characteristics	: Not available

9.2 Other safety information

Information concerning to the classes of physical hazards

Not available

Other security characteristics

Not available

10 Stability and Reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

The product is stable when stored at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

Additional information

Not available.

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The product is not classified.

Substances:

Not available

Acute dermal toxicity:

The product is not classified.

Substances:

Not available

Acute inhalation toxicity:

The product is not classified.

Substances:

Not available

Skin corrosion/irritation:

The product is not classified.

Substances:

Not available

Serious eye damage/irritation:

The product is classified Eye Dam. 1 according to the referenced regulation.

Causes serious eye damage.

Substances:

Not available

Skin sensitisation:

The product is not classified.

Substances:

Not available

Specific target organ toxicity (repeated exposure):

The product is not classified.

Substances:

Not available

Specific target organ toxicity (single exposure):

The product is not classified.

Substances:

Not available

Carcinogenicity:

The product is not classified.

Substances:

Not available

Reproductive toxicity:

The product is not classified.

Substances:

Not available

Germ cell mutagenicity:

The product is not classified.

Substances:

Not available

Sensitisation to the respiratory tract:

The product is not classified.

Substances:

Not available

Additional information:

Not available

11.2 Information on other hazards

Endocrine disrupting properties:

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

section 12 Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Substances:

Not available

12.2 Persistence and degradability

The product has not been tested.

Substances:

Not available

12.3 Bioaccumulative potential

The product has not been tested.

Substances:

Not available

12.4 Mobility in soil

The product has not been tested.

Substances:

Not available

12.5 Results of PBT and vPvB assessment

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

12.7 Other adverse effects

No data available.

Additional ecotoxicological information

Not available.

section 13 Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal:

Waste codes/waste designations according to EWC/AVV:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste treatment options:

Appropriate disposal/Product:

Waste requiring special supervision.

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

Appropriate disposal/Package:

Non-contaminated packages must be recycled or disposed of.

Contaminated packing must be completely emptied and can be reused after proper cleaning.

Packing which cannot be properly cleaned must be disposed of.

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

Remark:

For recycling, contact manufacturer.
 Collect the waste separately.
 Consult the appropriate authorities about waste disposal.
 Do not mix with other wastes.
 The waste is to be kept separate from other types of waste until its disposal.
 Concerning the waste it has to be checked, whether a transport authorisation is required.

Additional information

Not available

section 14 Transport information
14.1 UN number

Not available

14.2 UN proper shipping name

Not available

14.3 Transport hazard class(es)

Not available

14.4 Packing group

Not available

14.5 Environmental hazards

Not available

14.6 Special precautions for user

Not available

14.7 Bulk shipping according to IMO instruments

Not available

Additional information

Not available

section 15 Regulatory information
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation:

CLP: Harmonised classification and labelling of hazardous substances (Annex VI, table 3.1)_ATP 17:

Substance	CAS	EC
citric acid	77-92-9	201-069-1

REACH: Annex XVII (Restrictions):

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

National regulations:
Cosmetic Ingredient Hotlist:

Substance	CAS	EC
glycerol	56-81-5	200-289-5
citric acid	77-92-9	201-069-1

Occupational Exposure Limit Values (long term) - Canada (Ontario):

Substance	CAS	EC
propane-1,2-diol	57-55-6	200-338-0
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - Canada (Quebec):

Substance	CAS	EC
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - Ireland:

Substance	CAS	EC
propane-1,2-diol	57-55-6	200-338-0
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - NZ:

Substance	CAS	EC
propane-1,2-diol	57-55-6	200-338-0
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - Singapore:

Substance	CAS	EC
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - US (NIOSH):

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - US (OSHA):

Substance	CAS	EC
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (long term) - United Kingdom:

Substance	CAS	EC
propane-1,2-diol	57-55-6	200-338-0
glycerol	56-81-5	200-289-5
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - Canada (Ontario):

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - Canada (Quebec):

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - Ireland:

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - NZ:

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - Singapore:

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - US (NIOSH):

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

Occupational Exposure Limit Values (short term) - United Kingdom:

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

U.S. - NY - RTK:

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Additional information

Not available

16 Other information

Indication of changes

Periodic review, CLP update.

Abbreviations and acronyms

CAS: Chemical Abstract Service Number.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive.

UN number: United Nations number.

No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

Key literature references and sources for data

No data available.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

Complies with ATP 18, Regulation (EU) n°2022/692.

Relevant R-, H- and EUH-phrases (Number and full text)

H225	Flam. Liq. 2	Highly flammable liquid and vapour.
H315	Skin Irrit. 2	Causes skin irritation.
H318	Eye Dam. 1	Causes serious eye damage
H319	Eye Irrit. 2	Causes serious eye irritation
H335	STOT SE 3 H335	May cause respiratory irritation
H336	STOT SE 3 H336	May cause drowsiness or dizziness
H373	STOT RE 2	May cause damage to organs through prolonged or repeated exposure
H400	Aquatic Acute 1	Very toxic to aquatic life.
H411	Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.
H412	Aquatic Chronic 3	Harmful to aquatic life with long lasting effects

Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

Additional information

Creation date: 04/04/2024

Version date: 21/07/2025

Printing date: 21/07/2025

The information given in this Safety Data Sheet is based on our present knowledge and on European and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsibility of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.